


Kodak

i600 Series Scanners

Productivity.

Versatility.

Reliability.



Easy on your operators, and your bottom line

The award-winning **Kodak i600 Series** Scanners take scanner performance to the next level with innovations like SurePath paper handling, Perfect Page scanning, three independent ultrasonic multi-feed detection sensors, automatic colour detection and much more. All at a price that puts high performance and value within your reach and gives you a competitive edge.

Productivity

Our exclusive paper feeding technology easily handles documents of different sizes, weights and types to deliver high productivity. And our advanced image processing delivers consistently high image quality, which reduces the need for rescans.

Versatility

Kodak i600 Series Scanners include virtually every feature you'll need. Colour, bitonal and greyscale imaging. Automatic colour detection. Electronic colour dropout. Pre-scan document imprinting. Fast IEEE-1394 (**FireWire**) connectivity. Ultrasonic multi-feed detection. And more!

In addition, versatility can be added in with our convenient upgrade path. You can add speed and/or colour scanning as your needs change, right on your site!

Reliability

Our robust paper feeding combined with our exceptional image quality allow you to zip through the most challenging workloads, day after day.

Plus **Kodak** Service & Support, with an experienced team of experts available online and on-site, is just a phone call away to help maximise your uptime.

What you want, when you want it:

- scan all your documents
- variety of speed, colour and paper handling options
- multiple paper feeding methods

Advanced imaging path design:

- sealed camera minimizes dust
- removable imaging guides
- dual long-life Xenon lamps per side

The operator-adjustable elevator handles batches up to 500 sheets and can be set for variable batch sizes; an optional manual feeder is available for single-sheet feeding.

SurePath paper handling enables virtually uninterrupted workflow

Meeting demanding production schedules requires a combination of unique features that lets you scan just about any document - from delicate onionskin to heavy cardstock, and even crumpled originals - with speed and accuracy that keep productivity up and operating costs down. The **Kodak i600 Series** Scanners are packed with features and benefits.



Our renowned automatic document feeder handles mixed paper sizes and weights, and adjusts to enable left, center or right feeding.

Advanced image processing. Innovation that means business.



Our built-in image processing technology minimizes presorting and post-image processing while it captures high workloads of mixed documents at full rated speed. The result is a more efficient front-end on-ramp to your information highway.



Robust paper handling and virtually jam-free operation speed documents under control all the way to the output tray.

Perfect Page scanning:

- Delivers exceptional image quality, even on challenging low-resolution documents – with readability as good as or better than the original
- Produces deskewed images, excellent OCR/ICR read rates and, in many cases, smaller file sizes



Sturdy design and performance give you high reliability, and **Kodak** Service & Support helps ensure maximum uptime.

Automatic image rotation at full rated speed

Allows you to scan in landscape mode for maximum throughput and deliver images in portrait mode.

Choose from five image output options:

- Bitonal
- Colour
- Greyscale
- Dual stream: bitonal and colour
- Dual stream: bitonal and greyscale

With dual stream output, you can get up to an astounding 480 high-quality images per minute.

Electronic colour dropout

Enhances forms processing applications by allowing the scanner to ignore irrelevant background colour and capture only the information you need.

Automatic colour detection

Allows your scanner to automatically scan in colour when it senses that the colour content of specific documents within a batch is above a set threshold. (With the i610 Scanner, this feature can be used to capture colour documents and photos and save them as greyscale images.) Based on the threshold you set, your scanner determines when to scan in colour.

Toggle patch

Allows your scanner to automatically switch “on the fly” between bitonal and colour/greyscale scanning. By using toggle patches for a set of documents within a batch, you determine when to scan in colour (as opposed to automatic colour detection).

Kodak i600 Series Scanners

Recommended Daily Volume	i610/i620 i640 i660	up to 80,000 pages per day up to 100,000 pages per day up to 120,000 pages per day	
Throughput Speeds (200 dpi, landscape, letter size documents)	i610*/i620 i640 i660	80 ppm (up to 320 ipm**) 100 ppm (up to 400 ipm) 120 ppm (up to 480 ipm)	ppm=pages per minute, ipm=images per minute
Scanning Technology	Dual Tricolour Plus CCD, Greyscale output bit depth is 256 levels (8-bit) Colour* capture bit depth is 40-bit (10 bits per red, green, blue and black channels) Colour* output bit depth is 24-bit		
Optical Resolution	300 dpi		
Illumination	Dual long-life Xenon lamps per side, mercury-free		
Output Resolution	Colour*/Greyscale: 100/150/200/240/300 dpi; Bitonal: 200/240/300/400 dpi		
Maximum Document Size	305 mm x 863 mm		
Minimum Document Size	64 mm x 64 mm		
Paper Thickness and Weight	With Standard feeder: 45 g/m ² bond to 200 g/m ² index With Ultra-Lightweight feeder accessory: 25 g/m ² rice paper to 75 g/m ² bond		
Automatic Feeder/Elevator	500-sheet elevator-design document feeder with four settings: continuous feed, 100-sheet, 250-sheet and full 500-sheet batches		
Multi-feed Detection	3-D multi-feed detection with ultrasonic technology; three ultrasonic sensors that can work together or independently		
Connectivity	IEEE-1394 (FireWire) Interface, 6-pin connector; IEEE-1394 card and cable included		
Interface Support	TWAIN and ISIS drivers (included); Kodak Capture Pro Software, VRS Ready		
Imaging Features (in the scanner)	Perfect Page scanning, automatic colour detection, autocrop, aggressive crop, deskew, electronic colour dropout, dual stream scanning, orthogonal rotation, error diffusion, halftone removal, noise removal, toggle patch		
On-Board Compression	CCITT Group IV; JPEG or uncompressed output		
Available File Format Outputs	JPEG (for colour* and greyscale images); TIFF (for bitonal images)		
Electrical Requirements	100-240 V, 50/60 Hz		
Power Consumption	178.4 Watts maximum; Power off Mode < 1 Watt		
Environmental Factors	Energy Star qualified scanners; D.O.C. Executive Order 13221 Compliant, Section 508 Compliant; Mercury-free Xenon lamps; operating temperature: 15-35°C; operating humidity: 15 percent to 76 percent RH		
Acoustical Noise (operator position sound pressure level)	Sleep mode: <42 dB(A) Operating mode: <61 dB(A)		
Recommended PC Configuration	Pentium IV 2.4 GHz processor with 512 MB RAM		
Supported Operating Systems	Windows 98SE, Windows Me, Windows 2000, Windows XP		
Approvals and Product Certifications	AS/NZS 3548 Class A (C-Tick Mark), CAN/CSA-C22.2 No. 60950 (C-UL Mark), Canada ICES - 003 Issue 3 (Class A), GB4943, GB9254 (Class A), GB 17625.1 Harmonics, (CCC "S&E" Mark), EN 55022 ITE Emissions (Class B), EN 61000-3-2 Powerline Harmonics, EN 61000-3-3 Flicker, EN 55024 ITE Immunity (CE Mark), EN 60950 (TUV GS Mark), IEC 60950, CISPR 22 Class B, VCCI (Class A), CNS 13438 (Class A) (BSMI Mark), UL 60950 (UL Mark), CFR 47 Part 15 Subpart B (FCC Class A)		
Consumables Available	Feeder consumables kit, extra-large feeder consumables kit, imaging guide set, printer ink cartridge and carrier, transport cleaning sheets, roller cleaning pads, printer ink blotters, Staticide wipes, calibration targets, black imaging background		
Accessories	Ultra-lightweight feed module; White imaging background; Manual feeder		
Dimensions	Height: 40 cm, Width: 61 cm, Depth: 77 cm, Weight: 38.6 kg		
Warranty***	12 months on-site		
Warranty Enhancement***	36 months PerformancePlus on-site, 8 hrs response, consumables included		

Specifications are subject to change without notice. Throughput speeds may vary depending on your choice of driver, application software, operating system and PC.

* the i610 model does not scan in colour

**ipm speeds based on dual stream output of four compressed images for each document scanned - bitonal and colour or bitonal and greyscale

***There may be geographical limitations to the availability of Services. For full details please contact your Reseller of Kodak products or your local Kodak Service & Support organisation.

To learn more:

www.kodak.com/go/docimaging



As an Energy Star® Partner, Eastman Kodak Company has determined that these products meet Energy Star® guidelines for energy efficiency.

Printed using Kodak Technologies.

United Kingdom, Phone: +44 870 8502351, Fax: +44 870 850 2352
 Nordic, Phone: +46 (8) 555 638 31, Fax: +46 (8) 555 995 04
 Africa, Phone: +44 1442 846547, Fax: +44 1442 846606
 Germany, Austria and Switzerland, Phone: +49 711 406 2535, Fax: +49 711 406 3619
 Eastern Europe, Near and Middle East, Phone: +36 1 454 3031, Fax: +36 1 387 9113
 France, Spain and Portugal, Phone: +33 1 4001 3180, Fax +33 1 4001 3981
 Italy, Phone: +39 0266028338, Fax: +39 0266028358
 The Netherlands, Phone: +31 33 2998751, Fax: +31 20 6545227
 Belgium and Luxembourg, Phone: +32 2 352 27 04, Fax: +32 2 352 30 28

©Kodak, 2010. Kodak is a trademark of Kodak. DoldeMedien 5_10

Subject to technical change without notice.
 CAT No. E-DI.005.0110.en.01

Kodak

It's time for you **AND** Kodak