



VRS Scanner Certification & Performance List

| Scanner | Driver | Includes VRS | Professional License | Supported Interfaces | Simplex Speed | Duplex Speed |
|-------------------------------------|--------|--------------|----------------------|----------------------|---------------|--------------|
| Avision AV122 | Twain | N/A | Desktop | USB | 19 ppm | 38 ipm |
| Avision AV122C2 | ISIS | Basic | Desktop | USB | 28 ppm | 56 ipm |
| Avision AV220 | ISIS | N/A | Desktop | USB | 23 ppm | 43 ipm |
| Avision AV220C2 | ISIS | Basic | Desktop | USB | 27 ppm | 54 ipm |
| Avision AV220C2+ | ISIS | Basic | Desktop | USB | 44 ppm | 88 ipm |
| Avision AV320 | ISIS | Basic | Desktop | USB | 36 ppm | 64 ipm |
| Avision AV320+ | ISIS | Basic | Workgroup | USB | 57 ppm | 117 ipm |
| Avision AV3300 | ISIS | Basic | Workgroup | SCSI, USB | 34 ppm | 50 ipm |
| Avision AV3850SU | ISIS | Basic | Workgroup | SCSI, USB | 32 ppm | 41 ipm |
| Avision AV8350 | ISIS | Basic | Workgroup | USB | 50 ppm | 68 ipm |
| Böwe Bell & Howell 730DC FB | ISIS | Basic | Workgroup | SCSI | 15 ppm | 8 ipm |
| Böwe Bell & Howell 8080SC | Kofax | Professional | Production | SCSI | 80 ppm | N/A |
| Böwe Bell & Howell 8080DC | Kofax | Professional | Production | SCSI | 80 ppm | 160 ipm |
| Böwe Bell & Howell 8100DC | Kofax | Professional | Production | SCSI | 100 ppm | 200 ipm |
| Böwe Bell & Howell 8125DC | Kofax | Professional | Production | SCSI | 125 ppm | 250 ipm |
| Böwe Bell & Howell 8080SB | Kofax | Professional | Production | SCSI | 80 ppm | N/A |
| Böwe Bell & Howell 8080DB | Kofax | Professional | Production | SCSI | 80 ppm | 160 ipm |
| Böwe Bell & Howell 8100DB | Kofax | Professional | Production | SCSI | 100 ppm | 200 ipm |
| Böwe Bell & Howell 8125DB | Kofax | Professional | Production | SCSI | 125 ppm | 250 ipm |
| Böwe Bell & Howell SideKick 1200 | ISIS | Basic | Desktop | SCSI, USB | 24 ppm | 42 ipm |
| Böwe Bell & Howell SideKick 1400 | ISIS | Basic | Desktop | SCSI, USB | 42 ppm | 75 ipm |
| Böwe Bell & Howell SideKick 1400u | ISIS | Basic | Desktop | USB | 42 ppm | 75 ipm |
| Böwe Bell & Howell Trüper 3200 | ISIS | Professional | Workgroup | SCSI, USB | 60 ppm | 106 ipm |
| Böwe Bell & Howell Trüper 3600 | ISIS | Basic | Workgroup | USB | 60 ppm | 106 ipm |
| Böwe Bell & Howell XF 8090-DCI/DC 2 | Kofax | Professional | Production | SCSI | 90 ppm | 180 ipm |
| Böwe Bell & Howell XF 8090-DBI/DB 2 | Kofax | Professional | Production | SCSI | 90 ppm | 180 ipm |



VRS Scanner Certification & Performance List

| Scanner | Driver | Includes VRS | Professional License | Supported Interfaces | Simplex Speed | Duplex Speed |
|------------------------------------------------|--------|--------------|----------------------|----------------------|---------------|--------------|
| Böwe Bell & Howell XF 8090-SC ² | Kofax | Professional | Production | SCSI | 90 ppm | N/A |
| Böwe Bell & Howell XF 8090-SB ² | Kofax | Professional | Production | SCSI | 90 ppm | N/A |
| Böwe Bell & Howell XF 8120-DCI/DC ² | Kofax | Professional | Production | SCSI | 120 ppm | 240 ipm |
| Böwe Bell & Howell XF 8120-DBI/DB ² | Kofax | Professional | Production | SCSI | 120 ppm | 240 ipm |
| Böwe Bell & Howell XF 8140-DCI ² | Kofax | Professional | Production | SCSI | 140 ppm | 280 ipm |
| Böwe Bell & Howell XF 8140-DBI ² | Kofax | Professional | Production | SCSI | 140 ppm | 280 ipm |
| Canon DR-1210C | ISIS | N/A | Desktop | USB | 11 ppm | N/A |
| Canon DR-2010C | ISIS | N/A | Desktop | USB | 23 ppm | 45 ipm |
| Canon DR-2050C | ISIS | N/A | Desktop | USB | 21 ppm | 43 ipm |
| Canon DR-2080C | ISIS | N/A | Desktop | SCSI, USB | 21 ppm | 43 ipm |
| Canon DR-2510C | ISIS | N/A | Desktop | USB | 29 ppm | 58 ppm |
| Canon DR-2580C | ISIS | N/A | Desktop | USB | 23 ppm | 46 ipm |
| Canon DR-3010C | ISIS | N/A | Desktop | USB | 32 ppm | 64 ipm |
| Canon DR-3060 | ISIS | N/A | Workgroup | SCSI | 32 ppm | 64 ipm |
| Canon DR-3080C | ISIS | N/A | Workgroup | SCSI | 32 ppm | 64 ipm |
| Canon DR-3080CII | ISIS | N/A | Workgroup | SCSI, USB | 32 ppm | 64 ipm |
| Canon DR-4010C | ISIS | N/A | Workgroup | SCSI, USB | 46 ppm | 92 ipm |
| Canon DR-5010C | ISIS | N/A | Workgroup | SCSI, USB | 57 ppm | 94 ipm |
| Canon DR-6080 | ISIS | N/A | Workgroup | SCSI, USB | 66 ppm | 92 ipm |
| Canon DR-7080C | ISIS | N/A | Workgroup | SCSI, USB | 73 ppm | 39 ipm |
| Canon DR-7090C | ISIS | N/A | Workgroup | SCSI, USB | 75 ppm | 90 ipm |
| Canon DR-7580 | ISIS | N/A | Workgroup | SCSI, USB | 75 ppm | 150 ipm |
| Canon DR-9080C | ISIS | N/A | Production | SCSI, USB | 88 ppm | 155 ipm |
| Canon DR-X10C HVRS | Kofax | N/A | Production | SCSI, USB | 128 ppm | 256 ipm |
| Epson GT-1500 | ISIS | N/A | Desktop | USB | 10 ppm | N/A |
| Epson GT-2500 | ISIS | N/A | Desktop | USB | 11 ppm | N/A |



VRS Scanner Certification & Performance List

| Scanner | Driver | Includes VRS | Professional License | Supported Interfaces | Simplex Speed | Duplex Speed |
|----------------------------------------------|--------|--------------|----------------------|----------------------|-------------------------------|-------------------------------|
| Epson GT-20000 | ISIS | N/A | Desktop | USB | 5 ppm | N/A |
| Epson GT 30000 | ISIS | N/A | Workgroup | SCSI | 33 ppm | 22 ipm |
| Fujitsu fi-4010CU | TWAIN | N/A | Desktop | USB | 10 ppm | N/A |
| Fujitsu fi-4120C | ISIS | Basic | Desktop | SCSI, USB | 28 ppm (SCSI) 15 ppm (USB) | 28 ipm (SCSI) 15 ipm (USB) |
| Fujitsu fi-4120C2 | ISIS | Basic | Desktop | SCSI, USB | 26 ppm | 52 ipm |
| Fujitsu fi-4220C | ISIS | Basic | Desktop | SCSI, USB | 28 ppm (SCSI) 15 ppm (USB) | 28 ipm (SCSI) 15 ipm (USB) |
| Fujitsu fi-4220C2 | ISIS | Basic | Desktop | SCSI, USB | 26 ppm | 52 ipm |
| Fujitsu fi-4340C | ISIS | Professional | Workgroup | SCSI, USB | 40 ppm | 60 ipm |
| Fujitsu fi-4530C | ISIS | Basic | Workgroup | SCSI, USB | 35 ppm | 35 ipm |
| Fujitsu fi-4640S | ISIS | N/A | Workgroup | SCSI | 44 ppm | N/A |
| Fujitsu fi-4750C (Software Only) | ISIS | N/A | Workgroup | SCSI | 50 ppm | 54 ipm |
| Fujitsu fi-4750C-VRS (GSA Hardware Assisted) | Kofax | Professional | Production | SCSI | 50 ppm | 90 ipm |
| Fujitsu fi-4750L-VRS | Kofax | Professional | Production | SCSI | 55 ppm | 100 ipm |
| Fujitsu fi-4860C2 | Kofax | Professional | Production | SCSI | 63 ppm | 125 ipm |
| Fujitsu fi-4990C | Kofax | N/A | Production | SCSI | 90 ppm | 180 ipm |
| Fujitsu fi-5015C | ISIS | N/A | Desktop | USB | 16 ppm | N/A |
| Fujitsu fi-5110C | ISIS | N/A | Desktop | USB | 17 ppm | 35 ipm |
| Fujitsu fi-5120C | ISIS | Professional | Desktop | SCSI, USB | 25 ppm | 50 ipm |
| Fujitsu fi-5220C | ISIS | Professional | Desktop | SCSI, USB | 25 ppm | 50 ipm |
| Fujitsu fi-6130 | ISIS | Professional | Workgroup | SCSI, USB | 45 ppm | 82 ipm |
| Fujitsu fi-6230 | ISIS | Professional | Workgroup | SCSI, USB | 45 ppm | 82 ipm |
| Fujitsu fi-6140 | ISIS | Professional | Workgroup | SCSI, USB | 65 ppm | 130 ipm |
| Fujitsu fi-6240 | ISIS | Professional | Workgroup | SCSI, USB | 65 ppm | 130 ipm |
| Fujitsu fi-5530C | ISIS | Basic | Workgroup | SCSI, USB | 35 ppm | 70 ipm |



VRS Scanner Certification & Performance List

| Scanner | Driver | Includes VRS | Professional License | Supported Interfaces | Simplex Speed | Duplex Speed |
|-------------------------------|--------|--------------|----------------------|----------------------|---------------|--------------|
| Fujitsu fi-5530C2 | ISIS | Basic | Workgroup | SCSI, USB | 42 ppm | 84 ipm |
| Fujitsu fi-5650C | ISIS | Professional | Workgroup | SCSI, USB | 56 ppm | 108 ipm |
| Fujitsu fi-5650C-HVRS | Kofax | Professional | Production | SCSI, USB | 72 ppm | 136 ipm |
| Fujitsu fi-5750C | ISIS | Professional | Workgroup | SCSI, USB | 56 ppm | 108 ipm |
| Fujitsu fi-5750C-HVRS | Kofax | Professional | Production | SCSI, USB | 72 ppm | 136 ipm |
| Fujitsu fi-6750S | ISIS | N/A | Workgroup | SCSI, USB | 61 ppm | N/A |
| Fujitsu fi-6670 | ISIS | Professional | Workgroup | SCSI, USB | 103 ppm | 188 ipm |
| Fujitsu fi-6670A ³ | Kofax | Professional | Production | SCSI, USB | 103 ppm | 190 ipm |
| Fujitsu fi-6770 | ISIS | Professional | Workgroup | SCSI, USB | 103 ppm | 188 ipm |
| Fujitsu fi-6770A ³ | Kofax | Professional | Production | SCSI, USB | 103 ppm | 190 ipm |
| Fujitsu fi-5900C ³ | Kofax | Professional | Production | SCSI, USB | 114 ppm | 228 ipm |
| Fujitsu fi-60F | ISIS | N/A | Desktop | USB | N/A | N/A |
| Fujitsu M4097D-VRS | Kofax | Professional | Production | SCSI | 50 ppm | 90 ipm |
| Fujitsu M4099D-VRS | Kofax | Professional | Production | SCSI | 90 ppm | 180 ipm |
| HP ScanJet 7000 | ISIS | Basic | Desktop | USB | 41 ppm | 82 ipm |
| HP ScanJet N7710 | ISIS | Basic | Workgroup | USB | 35 ppm | 71 ipm |
| HP ScanJet 7800 | ISIS | Basic | Workgroup | USB | 25 ppm | 50 ipm |
| HP ScanJet 8270C | ISIS | N/A | Desktop | USB | 22 ppm | 4 ipm |
| HP ScanJet 8290C | ISIS | Basic | Desktop | SCSI, USB | 25 ppm | 6 ipm |
| HP ScanJet 8350 | ISIS | Basic | Workgroup | USB | 25 ppm | 51 ipm |
| HP ScanJet 8390 | ISIS | Basic | Workgroup | USB | 36 ppm | 73 ipm |
| HP ScanJet N8420 | ISIS | Basic | Workgroup | USB | 25 ppm | 50 ipm |
| HP ScanJet N8460 | ISIS | Basic | Workgroup | USB | 31 ppm | 60 ipm |
| HP ScanJet N9120 | ISIS | Professional | Workgroup | USB | 52 ppm | 104 ipm |
| InoTec SCAMAX 401 ✖ | ISIS | N/A | Production | SCSI | UNK | UNK |
| InoTec SCAMAX 402 | ISIS | N/A | Production | RJ45 | 81 ppm | 94 ipm |
| InoTec SCAMAX 410 ✖ | ISIS | N/A | Production | SCSI | UNK | UNK |



VRS Scanner Certification & Performance List

| Scanner | Driver | Includes VRS | Professional License | Supported Interfaces | Simplex Speed | Duplex Speed |
|---------------------|--------|--------------|----------------------|----------------------|---------------|--------------|
| InoTec SCAMAX 411 | ISIS | N/A | Production | SCSI | 90 ppm | 158 ipm |
| InoTec SCAMAX 412 | ISIS | N/A | Production | RJ45 | 90 ppm | 150 ipm |
| InoTec SCAMAX 421 ✖ | ISIS | N/A | Production | SCSI | UNK | UNK |
| InoTec SCAMAX 422 | ISIS | N/A | Production | RJ45 | 145 ppm | 256 ipm |
| InoTec SCAMAX 510 | ISIS | N/A | Production | SCSI | 168 ppm | 241 ipm |
| Kodak i30 | ISIS | N/A | Desktop | USB | 28 ppm | N/A |
| Kodak i40 | ISIS | N/A | Desktop | USB | 28 ppm | 48 ipm |
| Kodak i50 | ISIS | N/A | Desktop | SCSI | 12 ppm | N/A |
| Kodak i55 | ISIS | N/A | Desktop | SCSI, USB | 38 ppm | N/A |
| Kodak i60 | ISIS | N/A | Desktop | SCSI | 18 ppm | 25 ipm |
| Kodak i65 | ISIS | N/A | Desktop | SCSI, USB | 38 ppm | 78 ipm |
| Kodak i80 | ISIS | N/A | Desktop | SCSI | 29 ppm | 39 ipm |
| Kodak i1210/ i1220 | ISIS | N/A | Desktop | USB | 30 ppm | 60 ipm |
| Kodak i1310/ i1320 | ISIS | N/A | Desktop | USB | 65 ppm | 78 ipm |
| Kodak i1410 | ISIS | N/A | Workgroup | USB | 49 ppm | N/A |
| Kodak i1420 | ISIS | N/A | Workgroup | USB | 51 ppm | 100 ipm |
| Kodak i1440 | ISIS | N/A | Workgroup | USB | 63 ppm | 120 ipm |
| Kodak i150 | ISIS | N/A | Workgroup | Firewire | 41 ppm | N/A |
| Kodak i160 | ISIS | N/A | Workgroup | Firewire | 41 ppm | 80 ipm |
| Kodak i250 | ISIS | N/A | Workgroup | Firewire | 50 ppm | N/A |
| Kodak i260 | ISIS | N/A | Workgroup | Firewire | 50 ppm | 100 ipm |
| Kodak i280 | ISIS | N/A | Workgroup | Firewire | 62 ppm | 124 ipm |
| Kodak i610 | TWAIN | N/A | Production | Firewire | 80 ppm | 160 ipm |
| Kodak i620 | TWAIN | N/A | Production | Firewire | 80 ppm | 160 ipm |
| Kodak i640 | TWAIN | N/A | Production | Firewire | 100 ppm | 200 ipm |
| Kodak i660 | TWAIN | N/A | Production | Firewire | 120 ppm | 240 ipm |
| Kodak i730 | ISIS | N/A | Production | Firewire | 94 ppm | 177 ipm |



VRS Scanner Certification & Performance List

| Scanner | Driver | Includes VRS | Professional License | Supported Interfaces | Simplex Speed | Duplex Speed |
|----------------------------|--------|--------------|----------------------|----------------------|---------------|--------------|
| Kodak i750 | ISIS | N/A | Production | Firewire | 121 ppm | 192 ipm |
| Kodak i780 | ISIS | N/A | Production | Firewire | 135 ppm | 191 ipm |
| Kodak i1840 | ISIS | N/A | Production | Firewire | 144 ppm | 160 ipm |
| Kodak i1860 | ISIS | N/A | Production | Firewire | 191 ppm | 382 ipm |
| Panasonic KV-S1020C | ISIS | N/A | Desktop | USB | 27 ppm | N/A |
| Panasonic KV-S1025C | ISIS | N/A | Desktop | USB | 27 ppm | 55 ipm |
| Panasonic KV-S2025C | ISIS | N/A | Workgroup | SCSI | 24 ppm | 42 ipm |
| Panasonic KV-S2026C | ISIS | N/A | Workgroup | SCSI, USB | 24 ppm | 42 ipm |
| Panasonic KV-S2028C | ISIS | N/A | Workgroup | USB | 22 ppm | 38 ipm |
| Panasonic KV-S2045C | ISIS | N/A | Workgroup | SCSI | 42 ppm | 75 ipm |
| Panasonic KV-S2046C | ISIS | N/A | Workgroup | SCSI, USB | 42 ppm | 75 ipm |
| Panasonic KV-S2048C | ISIS | N/A | Workgroup | USB | 39 ppm | 70 ipm |
| Panasonic KV-S2065W | ISIS | N/A | Workgroup | SCSI | 64 ppm | 72 ipm |
| Panasonic KV-S3065C | ISIS | N/A | Workgroup | SCSI, USB | 65 ppm | 112 ipm |
| Panasonic KV-S3085 | ISIS | N/A | Production | SCSI, USB | 90 ppm | 160 ipm |
| Panasonic KV-S3105C | ISIS | N/A | Production | SCSI, USB | 108 ppm | 183 ipm |
| Panasonic KV-S4065C | ISIS | N/A | Workgroup | USB | 74 ppm | 148 ipm |
| Panasonic KV-S4085C | ISIS | N/A | Production | USB | 96 ppm | 192 ipm |
| Panasonic KV-S6050W | ISIS | N/A | Workgroup | SCSI | 59 ppm | N/A |
| Panasonic KV-S6055W | ISIS | N/A | Workgroup | SCSI | 63 ppm | 66 ipm |
| Panasonic KV-S7065C | ISIS | N/A | Workgroup | SCSI, USB | 58 ppm | 112 ipm |
| Panasonic KV-S7075C | ISIS | N/A | Workgroup | USB | 102 ppm | 161 ipm |
| Plustek SmartOffice PS282 | TWAIN | N/A | Desktop | USB | 23 ppm | 24 ipm |
| Plustek SmartOffice D428 | TWAIN | N/A | Desktop | USB | N/A | N/A |
| Plustek SmartOffice PL3000 | TWAIN | N/A | Desktop | USB | 31 ppm | N/A |
| Plustek SmartOffice PL7000 | TWAIN | N/A | Workgroup | USB | 77 ppm | N/A |
| Ricoh IS-01 | ISIS | N/A | Workgroup | SCSI | 12 ppm | N/A |



VRS Scanner Certification & Performance List

| Scanner | Driver | Includes VRS | Professional License | Supported Interfaces | Simplex Speed | Duplex Speed |
|------------------------|--------|--------------|----------------------|----------------------|---------------|--------------|
| Ricoh IS-330 | ISIS | N/A | Workgroup | SCSI | 15 ppm | 8 ipm |
| Ricoh IS-760 | ISIS | N/A | Workgroup | SCSI, USB | 74 ppm | 112 ipm |
| Visioneer 9650 USB | ISIS | N/A | Desktop | USB | 9 ppm | N/A |
| Visioneer 9650i | ISIS | N/A | Desktop | USB | 9 ppm | N/A |
| Visioneer Strobe XP200 | ISIS | N/A | Desktop | USB | 6 ppm | N/A |
| Visioneer Strobe XP450 | ISIS | N/A | Desktop | USB | 25 ppm | N/A |
| Visioneer Patriot 470 | ISIS | Basic | Desktop | USB | 25 ppm | 36 ipm |
| Visioneer Patriot 680 | ISIS | Basic | Desktop | USB | 33 ppm | 51 ipm |
| Visioneer Patriot 780 | ISIS | Basic | Workgroup | USB | 51 ppm | 70 ipm |
| Xerox DocuMate 250 | ISIS | Basic | Desktop | USB | 18 ppm | N/A |
| Xerox DocuMate 252 | ISIS | Basic | Desktop | USB | 25 ppm | 37 ipm |
| Xerox DocuMate 262 | ISIS | Basic | Desktop | USB | 28 ppm | 46 ipm |
| Xerox DocuMate 262i | ISIS | Basic | Desktop | USB | 38 ppm | 66 ipm |
| Xerox DocuMate 272 | ISIS | Basic | Desktop | USB | 29 ppm | 49 ipm |
| Xerox DocuMate 520 | ISIS | Basic | Desktop | USB | 18 ppm | N/A |
| Xerox DocuMate 632 | ISIS | Basic | Desktop | USB | 33 ppm | 51 ipm |
| Xerox DocuMate 752 | ISIS | Basic | Workgroup | USB | 51 ppm | 70 ipm |
| Xerox DocuMate 765 | ISIS | Professional | Workgroup | USB | 70 ppm | 118 ipm |



VRS Scanner Certification & Performance List

Notes:

- ✚ Performance numbers are based on Kofax SQA results when scanning with VRS Default settings.
- ✚ Unless otherwise indicated throughput tests were performed with the following configuration:
 - P-IV 2.8 GHz with 2 GB RAM
 - 200 DPI
 - Black & White
 - Duplex (if available)
 - Letter size
 - Landscape & 90/270 Rotation (if available)
 - Prescans = 6
 - Interface: Kofax Adrenaline 450, 650, 650i, USB, RJ45, or Firewire
- ✚ **N/A** – Not Applicable
- ✚ **UNK** – Unknown. The information could not be determined at time of certification.
- ✚ **✖** - The throughput for these InoTec SCAMAX scanners could not be obtained because the specific model was not available. However, because these models are very similar to the SCAMAX 411 they are listed as certified.
- ✚ **2** - The Böwe Bell & Howell XF Spectrum scanners are configured with VRS by selecting either the “Bell & Howell 8000 B/C” or “Bell & Howell 8000 B/C (non-interactive mode)” from the list of scanners when installing VRS. When an XF model is connected, VRS will automatically detect it and provide support for it.
- ✚ **3** - The scanner includes the Kofax CGA board. This board provides a SCSI and USB interface. The scanner is also shipped with a version of VRS Professional. This is an OEM version that includes a Production license.